



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES
(Untabulated).

AUSTRALIA—*Newcastle*.—Month of November, 1911. Population 60,700. Total number of deaths from all causes 43, including diphtheria 2, tuberculosis 1, typhoid fever 1.

BRAZIL—*Bahia*.—Month of September, 1911. Population 292,000. Total number of deaths from all causes 412, including measles 2, plague 2, tuberculosis 53.

***Ceara*.**—Month of November, 1911. Population 60,000. Total number of deaths from all causes 96, including tuberculosis 12, typhoid fever 7.

***Santos*.**—Two weeks ended November 11, 1911. Population 85,000. Total number of deaths from all causes 59. No contagious diseases reported.

BRITISH INDIA—*Rangoon*.—Month of October, 1911. Population 289,432. Total number of deaths from all causes 725, including cholera 1, plague 27, smallpox 6, tuberculosis 40.

CANADA—*Sherbrooke*.—Month of December, 1911. Population 17,700. Total number of deaths from all causes 16, including diphtheria 1, tuberculosis 4.

CHILE—*Punta Arenas*.—Month of October, 1911. Population 14,000. Total number of deaths from all causes 36, including tuberculosis 3, typhoid fever 1.

FORMOSA.—Two weeks ended December 2, 1911. Population 3,290,186. Total number of deaths from all causes not reported. The deaths include diphtheria 3, typhoid fever 4.

GERMANY—*Kehl*.—Month of November, 1911. Population 180,193. Total number of deaths from all causes 196, including diphtheria 2, scarlet fever 2, smallpox 1, tuberculosis 26, typhus fever 3.

GREAT BRITAIN.—Week ended December 23, 1911.

***England and Wales*.**—The deaths registered in 77 great towns correspond to an annual rate of 15.8 per 1,000 of the population, which is estimated at 16,157,797.

***Ireland*.**—The deaths registered in 21 principal town districts correspond to an annual rate of 18.2 per 1,000 of the population, which is estimated at 1,149,495. The lowest rate was recorded at Sligo, viz, 4.7; and the highest at Kilkenny, viz, 39.7.

***Scotland*.**—The deaths registered in 8 principal towns correspond to an annual rate of 18.6 per 1,000 of the population, which is estimated at 1,710,291. The lowest rate was recorded at Perth, viz, 13.1, and the highest at Greenock, viz, 25.6 per 1,000. The total number of deaths from all causes was 609, including diphtheria 7, measles 38, scarlet fever 3, typhoid fever 1.

ITALY—*Florence*.—Month of November, 1911. Population, 232,860. Total number of deaths from all causes 307, including measles 1, tuberculosis 43, typhus fever 12.

MALTA.—Two weeks ended December 23, 1911. Population, 213,395. Total number of deaths from all causes 207, including diphtheria 1, measles 4, typhoid fever 1.

NEW ZEALAND.—Month of October, 1911.

Auckland.—Estimated population, 102,676. Total number of deaths 101, including tuberculosis 5.

Christchurch.—Estimated population, 80,193. Total number of deaths 58, including tuberculosis 6.

Dunedin.—Estimated population, 64,237. Total number of deaths 46, including tuberculosis 4.

Wellington.—Estimated population, 70,729. Total number of deaths 52, including diphtheria 2, measles 1, tuberculosis 4.

RUSSIA.—*Libau*.—Four weeks ended September 13, 1911. Population, 90,000. Total number of deaths from all causes not reported. The deaths include diphtheria 1, scarlet fever 1, smallpox 2, typhoid fever 2.

Four weeks ended October 13, 1911. Total number of deaths from all causes not reported. The deaths include diphtheria 2, scarlet fever 4, typhoid fever 2.

SPAIN—*Cadiz*.—Month of November, 1911. Population, 67,306. Total number of deaths from all causes 165, including diphtheria 1, measles 3, scarlet fever 3, smallpox 5, tuberculosis 18, typhoid fever 1.

Huelva.—Month of November, 1911. Population, 28,982. Total number of deaths from all causes 57, including tuberculosis 5.

Madrid.—Year ended December 31, 1911. Population, 584,117. Total number of deaths from all causes 14,050, including diphtheria 157, measles 266, scarlet fever 10, smallpox 32, tuberculosis 1,823, typhoid fever 138, typhus fever 8.

By authority of the Secretary of the Treasury:

RUPERT BLUE,

Surgeon General,

United States Public Health and Marine-Hospital Service.

THIS PUBLICATION may be procured from the Superintendent of Documents, Government Printing Office Washington, D. C., at 5 cents a copy

Subscription price for the year \$2

